

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
10 March 2005 (10.03.2005)

PCT

(10) International Publication Number
WO 2005/021231 A2

(51) International Patent Classification⁷: **B29C 45/16**

(21) International Application Number:
PCT/US2004/027588

(22) International Filing Date: 25 August 2004 (25.08.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/497,629 25 August 2003 (25.08.2003) US

(71) Applicant (for all designated States except US): **JOHNSON CONTROLS TECHNOLOGY COMPANY** [US/US]; 650 Waverly, Holland, MI 49423 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BOZIO, Ronald, A.** [US/US]; 331 Blue Isle Drive, Holland, MI 49424 (US). **FOX, Bart, W.** [US/US]; 4654 Majestic Vue, Zeeland, MI 49464 (US). **WHITE, Daniel, F.** [US/US]; 122 West 22nd Street, Holland, MI 49423 (US). **VON HOLTZ, Michael, J.** [US/US]; 14317 Essenburg Drive, Holland,

MI 49424 (US). **CUSSIMANIO, Jeffrey, A.** [US/US]; 231 Sterling Drive, Holland, MI 49423 (US). **KRAGT, Delwyn** [US/US]; 4704 60th Street, Holland, MI 49423 (US).


(74) Agent: **ANDERSON, Scott, D.**; Foley & Lardner LLP, 777 East Wisconsin Avenue, Suite 3800, Milwaukee, WI 53202-5306 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,

[Continued on next page]

(54) Title: TRIM PANEL



(57) Abstract: A multi-material or multi-color molded article and a method of making the same is provided. The molded article comprises an integrated molded member having at least a first portion made of a first resin and a second portion made of a second resin. The integrated molded member may have additional portions as well. The method comprises providing a mold having a first mold section, a second mold section, and a retractor member, injecting a first resin into a first cavity defined by the first mold section, the second mold section, and the retractor member, moving the retractor member to define a second cavity wherein the second cavity is defined by the first mold section, the second mold section, the retractor member, and the first resin, and injecting a second resin into the second cavity.



SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

Published:

— *without international search report and to be republished upon receipt of that report*

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
10 March 2005 (10.03.2005)

PCT

(10) International Publication Number
WO 2005/021231 A3

(51) International Patent Classification⁷: **B29C 45/16**

(21) International Application Number:
PCT/US2004/027588

(22) International Filing Date: 25 August 2004 (25.08.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/497,629 25 August 2003 (25.08.2003) US

(71) Applicant (for all designated States except US): **JOHNSON CONTROLS TECHNOLOGY COMPANY** [US/US]; 650 Waverly, Holland, MI 49423 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BOZIO, Ronald, A.** [US/US]; 331 Blue Isle Drive, Holland, MI 49424 (US). **FOX, Bart, W.** [US/US]; 4654 Majestic Vue, Zeeland, MI 49464 (US). **WHITE, Daniel, F.** [US/US]; 122 West 22nd Street, Holland, MI 49423 (US). **VON HOLTZ, Michael, J.** [US/US]; 14317 Essenburg Drive, Holland, MI 49424 (US). **CUSSIMANIO, Jeffrey, A.** [US/US]; 231 Sterling Drive, Holland, MI 49423 (US). **KRAGT, Delwyn** [US/US]; 4704 60th Street, Holland, MI 49423 (US).

(74) Agent: **ANDERSON, Scott, D.**; Foley & Lardner LLP, 777 East Wisconsin Avenue, Suite 3800, Milwaukee, WI 53202-5306 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

[Continued on next page]

(54) Title: MULTI-COMPONENT INJECTION MOULDING OF A TRIM PANEL



(57) Abstract: A multi-material or multi-color molded article and a method of making the same is provided. The molded article comprises an integrated molded member having at least a first portion made of a first resin and a second portion made of a second resin. The integrated molded member may have additional portions as well. The method comprises providing a mold having a first mold section (24), a second mold section (22), and a retractor member (26), injecting a first resin (18) into a first cavity defined by the first mold section (24), the second mold section (22), and the retractor member (26), moving the retractor member (26) to define a second cavity (23) wherein the second cavity (23) is defined by the first mold section (24), the second mold section (22), the retractor member (26), and the first resin (18), and injecting a second resin (20) into the second cavity (23).

WO 2005/021231 A3



(88) Date of publication of the international search report:
28 July 2005

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.